

a **xylem** brand *Issue date 05/18/2015*

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 05/18/2015

1 Identification

- · Product identifier
- Trade name: Fluoride ISE Reference Fill Solution
- Product number: 400407
- · Relevant identified uses of the substance or mixture and uses advised against
- *Product description* 1 M or 10% KNO₃ Potassium Nitrate Reference Fill Solution
- · Application of the substance / the mixture Buffers, Filling & Calibration Solutions
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: 1725 Brannum Lane Yellow Springs, OH 45387 Phone: (937) 767-7241 Email: MSDSinfo@ysi.com website: ysi.com

Emergency Contact information: Chemtrec: (US & Canada) 800-424-9300; (International) 001 703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture

GHS GHS

GHS03 Flame over circle

Ox. Liq. 3 H272 May intensify fire; oxidizer.

· Label elements

- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- Hazard statements
- May intensify fire; oxidizer.
- Precautionary statements

Take any precaution to avoid mixing with combustibles.

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Wear protective gloves / eye protection / face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

• NFPA ratings (scale 0 - 4)



(Contd. on page 2)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 0	Fire = 0
REACTIVITY 1	Reactivity =

· Hazard(s) not otherwise classified (HNOC): None known

1

3 Composition/information on ingredients			
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity		60-90%
 Chemical characterization: Mixtures Description: Mixture of substances listed below with nonhazardous additions. 			
· Dangerous Components:			
CAS: 7757-79-1 RTECS: TT 3700000	Potassium Nitrate	🚸 Ox. Sol. 2, H272	5-10%

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact:* If skin irritation continues, consult a doctor. Rinse with warm water.
- *After eye contact:* Rinse opened eye for several minutes under running water. If eye irritation occurs, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomitting.

If swallowed and symptoms occur, consult a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Potassium Nitrate is an oxidizer and will release oxygen gas upon decomposition, which may intensify any fires. Use caution.

Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures* Ensure adequate ventilation

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

Avoid contact with skin, eyes and clothing.

- Keep away from ignition sources.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (ie. sand, diatomite, universal binders), do NOT use sawdust. Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

• Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:	1 tau ta
Form: Color:	Liquid Clear, colorless
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value @ 20 °C (68 °F):	5.5-8
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
• Danger of explosion:	Not determined.
• Explosion limits: Lower: Upper:	0.0 Vol % 0.0 Vol %
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)
 Density @ 20 °C (68 °F): Relative density Vapor density 	1.111 g/cm³ (9.271 lbs/gal) Not determined. Not determined.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: Water: 	0.0 % 60-90 %
Solids content: • Other information	5-10 % No further relevant information available.

0 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Strong acids, strong oxidizing agents, strong reducing agents organic material and powdered metals.

· Hazardous decomposition products: Potassium Oxides and Nitrogen Oxides (NOx).

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7757-79-1 Potassium Nitrate

Oral LD50 3750 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritating effect.
- on the eye: No irritating effect.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

7757-79-1 Potassium Nitrate

2A

• NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

12 Ecological information

· Toxicity

· Aquatic toxicity:

- 7757-79-1 Potassium Nitrate
- EC50 226 mg/l (Water flea)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packagings:

· Recommendation:

Dispose of as unused product.

Disposal must be made according to official regulations.

14 Transport information

 UN-Number DOT, ADR, ADN, IMDG, IATA UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material Non-Regulated Material
· DOT, ADR, ADN, IMDG, IATA · Class	Non Degulated Material
	Non-Regulated Material
· Packing group · DOT, ADR, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	••
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	
· UN WODEL Regulation :	-

(Contd. on page 7)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

15 Regulatory information

- $^{\circ}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\circ}$ Sara
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

- · Section 313 (Specific toxic chemical listings):
- 7757-79-1 Potassium Nitrate
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · California Proposition 65
- Chemicals known to cause cancer:
- None of the ingredients are listed.
- Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients are listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients are listed.
- · IARC (International Agency for Research on Cancer) 7757-79-1 Potassium Nitrate: 2A
- TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients are listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Warning
- · Hazard statements
- May intensify fire; oxidizer.
- Precautionary statements

Take any precaution to avoid mixing with combustibles. Keep away from heat.

Keep/Store away from clothing/combustible materials.

Wear protective gloves / eye protection / face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Reviewed on 05/18/2015

YSI Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Trade name: Fluoride ISE Reference Fill Solution

Dispose of contents/container in accordance with local/regional/national/international regulations.

	regulations			
The produstion substance		ct to be classified according with the latest ver	sion of the regulations of	ו hazardous
· State Rig	ht to Know			
CAS: 773 RTECS: Z	2-18-5 2C 0110000	water, distilled, conductivity or of similar purity		60-90%
CAS: 775 RTECS: T	7-79-1 T 3700000	Potassium Nitrate	🚸 Ox. Sol. 2, H272	5-10%
All ingredi	ents are list	ed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/18/2015 / -

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Ox. Liq. 3: Oxidising Liquids, Hazard Category 3 Ox. Sol. 2: Oxidising Solids, Hazard Category 2 * * Data compared to the previous version altered.

YSI sells this product under agreement with the original manufacturer. YSI assumes no legal liability or responsibility for the accuracy,

completeness or usefulness of any information set forth in this MSDS.