

a xylem brand

Page 1/7

# YSI Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

#### 1 Identification

- · Product identifier
- · Trade name: lodide ISE Standard Solution
- · Product number: 400414
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product description Standard Solution (LOW 100 ppm) for lodide (as I<sup>-</sup>)
- · Application of the substance / the mixture Buffers, Filling & Calibration Solutions
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* 1725 Brannum Lane Yellow Springs, OH 45387 Phone: (937) 767-7241 Email: MSDSinfo@ysi.com website: ysi.com

Emergency Contact information: Chemtrec: (US & Canada) 800-424-9300; (International) 001 703-527-3887

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- · Classification system:

NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

#### 3 Composition/information on ingredients

7732-18-5 water, distilled water, deionized water

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous Components:
- 7681-82-5 Sodium Iodide

🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

90-99%

< 2.5%



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

# Trade name: 0.1M Nal (Sodium lodide)

Reviewed on 06/03/2015

- After skin contact: Generally the product does not irritate the skin. Rinse with warm water.
- If skin irritation occurs, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water.
- If eye irritation occurs, consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
- Dispose of the collected material according to regulations.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/03/2015

Issue date 06/03/2015

Trade name: 0.1M Nal (Sodium lodide)

## · Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with occupational exposure limits:
7681-82-5 Sodium Iodide
TLV Long-term value: 0.01* ppm *as inhalable fraction and vapor
• Additional information: The lists that were valid during the creation of this SDS were used as basis.
· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Material of gloves Not required.
- · Penetration time of glove material Not applicable.
- Eye protection:



Goggles recommended during refilling.

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Liquid
Color:	Clear, colorless
Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value @ 20 °C (68 °F):	6-9
· Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	0.0 Vol %
Upper:	0.0 Vol %



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

## Trade name: 0.1M Nal (Sodium lodide)

· Vapor pressure @ 20 °C (68 °F): 23 hPa (17 mm Hg) 1.04 g/cm3 (8.679 lbs/gal) • Density @ 20 °C (68 °F): · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined. Kinematic: Not determined. · Solvent content: 0.0 % Organic solvents: Water: 90-99 % Solids content: < 2.5 % Other information No further relevant information available.

## 10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability Stable under normal conditions.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: Strong acids, strong oxidizing agents and Bromine trifluoride.
- Hazardous decomposition products: Sodium Oxides and Hydroiodic acid gas.

1 Toxicological information

#### Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7681-82-5 Sodium lodide

Oral LD50 4340 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritating effect.
- on the eye: No irritating effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

(Contd. on page 5)

Reviewed on 06/03/2015



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

# Trade name: 0.1M Nal (Sodium lodide)

Reviewed on 06/03/2015

# rade name: 0. nvi Nai (Sodium lodide)

Group 1 - Carcinogenic to humans

- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

None of the ingredients are listed.

# • NTP (National Toxicology Program)

None of the ingredients are listed.

# · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

# 2 Ecological information

## · Toxicity

- · Aquatic toxicity:
- 7681-82-5 Sodium lodide
- EC50 0.17 mg/l (daphnia)
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- Recommendation:
   Observe all federal, state and local environmental regulations when disposing of this material.
   Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# · Uncleaned packagings:

#### Recommendation:

Dispose of as unused product. Disposal must be made according to official regulations.

# 14 Transport information

- · UN-Number
- · DOT, ADN, IMDG, IATA · ADR
- · UN proper shipping name
- · DOT, ADN, IMDG, IATA
- Transport hazard class(es)
- · DOT, ADR, ADN, IMDG, IATA · Class

Non-Regulated Material Non-Regulated Material Not Regulated

Non-Regulated Material

Non-Regulated Material



# Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Page 6/7

Trade name: 0.1M Nal (Sodium lodide)

<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> <li>Environmental hazards:</li> <li>Special precautions for user</li> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> <li>UN "Model Regulation":</li> </ul>	Non-Regulated Material Not applicable. Not applicable. Not applicable.	
15 Regulatory information		
<ul> <li>Safety, health and environmental regulation</li> <li>Sara</li> </ul>	ons/legislation specific for the substance or mixture	9
Section 355 (extremely hazardous substant	nces):	
None of the ingredients are listed.		
· Section 313 (Specific toxic chemical listin	gs):	
None of the ingredients are listed.		
• TSCA (Toxic Substances Control Act):		
All ingredients are listed.		
· California Proposition 65		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive t	oxicity for females:	
None of the ingredients are listed.		
· Chemicals known to cause reproductive t	oxicity for males:	
None of the ingredients are listed.		
· Chemicals known to cause developmenta	I toxicity:	
None of the ingredients are listed.		
· Carcinogenic categories		
• EPA (Environmental Protection Agency)		
None of the ingredients are listed.		
• TLV (Threshold Limit Value established by	y ACGIH)	
None of the ingredients are listed.		
· NIOSH-Ca (National Institute for Occupati	onal Safety and Health)	
None of the ingredients are listed.		
GHS label elements Non-Regulated Materia     Hazard pictograms Non-Regulated Material     Signal word Non-Regulated Material     Hazard statements Non-Regulated Material		
· National regulations:		
The product is subject to be classified account substances.	ording with the latest version of the regulations on ha	azardous
• State Right to Know		
7732-18-5 water, distilled water, deionized w	/ater	90-99%
7681-82-5 Sodium Iodide	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	$\leq 2.5\%$
All ingredients are listed.		



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: 0.1M Nal (Sodium lodide)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/03/2015 / -

Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A \* Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

YSI sells this product under agreement with the original manufacturer. YSI assumes no legal liability or responsibility for the accuracy,

completeness or usefulness of any information set forth in this MSDS.