

a **xylem** brand

Page 1/10

# YSI Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

#### 1 Identification

- · Product identifier
- · Trade name: Lead ISE Standard Solution
- Product number: 400420

· Relevant identified uses of the substance or mixture and uses advised against

- *Product description:* Standard Solution (High 1000 ppm) for Lead (as Pb<sup>2+</sup>)
- · Application of the substance / the mixture Buffers, Filling & Calibration Solutions
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* 1725 Brannum Lane Yellow Springs, OH 45387 Phone: (937) 767-7241 Email: MSDSinfo@ysi.com website: ysi.com

Emergency Contact information: Chemtrec: (US & Canada) 800-424-9300; (International) 001 703-527-3887

#### 2 Hazard(s) identification

#### Classification of the substance or mixture

GHS08 Health hazard

Carc. 1BH350 May cause cancer.Repr. 1AH360 May damage fertility or the unborn child.STOT RE 2H373 May cause damage to organs through prolonged or repeated exposure.



**GHS09** Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labeling:* Lead Dinitrate
- · Hazard statements

May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Reviewed on 06/03/2015

# YSI Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

### Trade name: Lead ISE Standard Solution

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Collect spillage. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/inte

Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH *0	Health = *0
	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients	
7732-18-5 water, distilled water, deionized water	90-99%

• Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous Components:

 CAS: 10099-74-8
 Lead Dinitrate
 2-12%

 RTECS: OG 2100000
 Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H332
 2-12%

#### 4 First-aid measures

#### · Description of first aid measures

#### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Generally the product does not irritate the skin.

Rinse with warm water.

If skin irritation occurs, consult a doctor.

#### • After eye contact:

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

• *After swallowing:* Rinse out mouth and then drink plenty of water.

Immediately call a doctor.

Information for doctor:

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

#### Trade name: Lead ISE Standard Solution

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

#### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

# **YSI Safety Data Sheet (SDS)** OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

## Trade name: Lead ISE Standard Solution

· Corr	ponents with occupational exposure limits:
	9-74-8 Lead Dinitrate
PEL	Long-term value: 0.05 mg/m³ as Pb; See 29 CFR 1910.1025
REL	Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
TLV	Long-term value: 0.05 mg/m³ as Pb; BEI
· Ingr	edients with biological limit values:
1009	99-74-8 Lead Dinitrate
	30 μg/100 ml blood not critical Lead
· Add	itional information: The lists that were valid during the creation of this SDS were used as basis.
Keep Imme Was Store • <b>Brea</b> In ca use i	usual precautionary measures for handling chemicals should be followed. b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. h hands before breaks and at the end of work. e protective clothing separately. <b>athing equipment:</b> use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, respiratory protective device that is independent of circulating air. <b>rection of hands:</b>
WIT T	Protective gloves
Due the c Sele	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. ct glove material based on penetration times, rates of diffusion and degradation.
The and	erial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the stance of the glove material cannot be calculated in advance and has therefore to be checked prior to the

• Penetration time of glove material The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:

application.



Goggles recommended during refilling.


# **YSI Safety Data Sheet (SDS)** OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

## Trade name: Lead ISE Standard Solution

## · Body protection:



## 9 Physical and chemical properties

<ul> <li>Information on basic physical and c</li> <li>General Information</li> </ul>	hemical properties	
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Liquid Clear, colorless Odorless Not determined.	
· pH-value:	7.0	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not determined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	0.0 Vol % 0.0 Vol %	
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)	
<ul> <li>Density @ 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1.113 g/cm³ (9.288 lbs/gal) Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.	
• Solvent content: Organic solvents: Water:	0.0 % 90-99 %	
Solids content:	2-12 %	(Co

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Lead ISE Standard Solution

· Other information

No further relevant information available.

#### 10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong reducing agents, Phosphorous, Copper and organic materials.
- · Hazardous decomposition products: Lead Oxides and Nitrogen Oxides (NOx).

#### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 10099-74-8 Lead Dinitrate

Intravenous 93 mg/kg (rat)

Primary irritant effect:

· on the skin: No irritating effect.

- on the eye: No irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

#### · Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

10099-74-8 Lead Dinitrate

• NTP (National Toxicology Program)

10099-74-8 Lead Dinitrate

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

2 Ecological information

- · Toxicity
- Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

10099-74-8 Lead Dinitrate

EC50 1.5 mg/l (Trout)

0.5-2 mg/l (daphnia)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· *Bioaccumulative potential* No further relevant information available.

2A

R

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

## Trade name: Lead ISE Standard Solution

- · *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 3 Disposal considerations

#### · Waste treatment methods

· Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packagings:

#### · Recommendation:

Dispose of as unused product. Disposal must be made according to official regulations.

4 Transport information

· UN-Number	
·DOT	Non-Regulated Material
· ADR, IMDG, IATA	UN3082
<ul> <li>UN proper shipping name</li> </ul>	
·DOT	Non-Regulated Material
· ADR	UN3082 Environmentally hazardous substances, liquid, n.o.s. (Lead nitrate)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LEAD NITRATE), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LEAD NITRATE)
<ul> <li>Transport hazard class(es)</li> </ul>	
·DOT	
· Class	Non-Regulated Material
· ADR	
· Class	9 (M6) Miscellaneous dangerous substances and articles (Contd. on page 8)

# **YSI Safety Data Sheet (SDS)** OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

# Trade name: Lead ISE Standard Solution

· Label	9
· IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
<ul> <li>Packing group</li> <li>DOT</li> <li>ADR, IMDG, IATA</li> </ul>	Non-Regulated Material
• Environmental hazards:	Product contains environmentally hazardous substances: Lead Dinitrate
Special marking (ADR):	Symbol (fish and tree)
• Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Danger code (Kemler): · EMS Number:	90 F-A,S-F
· Segregation groups	Heavy metals and their salts (including their organometallic
Segregation groups	compounds)
• Transport in bulk according to Annex II	
MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
· ADR	
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
·IMDG	
<ul> <li>Limited quantities (LQ)</li> </ul>	5L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Lead nitrate), 9, III

## 5 Regulatory information

· Safety, health a	and environmental regulation	s/legislation specific for	or the substance or i	nixture
· Sara	_			

Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
10099-74-8 Lead Dinitrate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
California Proposition 65	
Chemicals known to cause cancer:	
10099-74-8 Lead Dinitrate	

B2

A3

# YSI Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

Trade name: Lead ISE Standard Solution

• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	

• EPA (Environmental Protection Agency)

- 10099-74-8 Lead Dinitrate
- TLV (Threshold Limit Value established by ACGIH)
- 10099-74-8 Lead Dinitrate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



## · Signal word Danger

· Hazard-determining components of labeling:

#### Lead Dinitrate

- · Hazard statements
- May cause cancer.

May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects. **Precautionary statements** 

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### • National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

(Contd. on page 10)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

#### Trade name: Lead ISE Standard Solution

• State Right to Know		
CAS: 7732-18-5	water, distilled water, deionized water	90-99%
	Lead Dinitrate Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373; H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H332	2-12%
All ingredients are liste	d.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/03/2015 / -

#### Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Acute Tox. 4: Acute toxicity, Hazard Category 4 Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Čategory 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 \* \* Data compared to the previous version altered.

YSI sells this product under agreement with the original manufacturer. YSI assumes no legal liability or responsibility for the accuracy,

completeness or usefulness of any information set forth in this MSDS.