

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	YSI Oxygen Probe Electrolyte for Model 5204, 5906, 5908, & 5909		
Version #	01		
Issue date	20-March-2014		
Revision date	-		
Supersedes date	-		
CAS #	Mixture		
Product use	Analysis Standard/Reagent		
Manufacturer information	YSI, Inc 1700/1725 Brannum Lane Yellow Springs, Ohio 45387 MSDSinfo@ysi.com (937) 767-7241 CHEMTREC (US/Canada) (800) 424-9300 CHEMTREC (International) 011 703-527-3887 (Collect calls accepted)		
2. Hazards Identification			
Emergency overview	Exposure to powder or dusts may be irritating to eyes, nose and throat.		
Potential health effects			
Routes of exposure	Inhalation. Eye contact.		
Eyes	Dust in the eyes will cause irritation.		

Dust or powder may irritate the skin.

InhalationDust may irritate respiratory system.IngestionExpected to be a low ingestion hazard.Signs and symptomsDusts may irritate the respiratory tract, skin and eyes.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Sodium sulfate	7757-82-6	71
Potassium Chloride	7447-40-7	29

4. First Aid Measures

Skin

First aid procedures			
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.		
Inhalation	If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.		
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.		
General advice	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.		
5. Fire Fighting Measures			
Flammable properties	No unusual fire or explosion hazards noted.		
Extinguishing media			

Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
Explosion data	
Sensitivity to static discharge	Not available.
Sensitivity to mechanical impact	Not available.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental Release Mea	sures
Personal precautions	Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Wear a dust mask if dust is generated above exposure limits. For personal protection, see section 8 of the MSDS.
Environmental precautions	Do not contaminate water.
Methods for containment	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product.
Methods for cleaning up	Minimize dust generation and accumulation. Should not be released into the environment. Collect dust using a vacuum cleaner equipped with HEPA filter. Following product recovery, flush area with water. For waste disposal, see section 13 of the MSDS.
7. Handling and Storage	
Handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

Handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Practice good housekeeping. Avoid release to the environment.
Storage	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure Controls / Personal Protection

Occupational exposure limits	No exposure limits noted for ingredient(s).			
Engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.			
Personal protective equipment				
Eye / face protection	Use tight fitting goggles if dust is generated.			
Skin protection	Wear suitable protective clothing.			
Respiratory protection	Wear respirator with dust filter.			

9. Physical & Chemical Properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	White.
Odor	None.
Odor threshold	Not available.
рН	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	Not available.

Melting point/Freezing point	Not available.
Solubility (water)	Not available.
Specific gravity	Not available.
Flash point	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
10. Chemical Stability & R	eactivity Information
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
Possibility of hazardous	No dangerous reaction known under conditions of normal use.

11. Toxicological Information

reactions

Toxicological data				
Components	Species	Test Results		
Potassium Chloride (CAS 7447-4	0-7)			
Acute				
Oral				
LD50	Rat	2600 mg/kg		
Sodium sulfate (CAS 7757-82-6)				
Acute				
Oral				
LD50	Mouse	5989 mg/kg		
Other				
LD50	Rabbit	> 4 g/kg		
Acute effects	Not classified.			
Sensitization	Not expected to be a skin sensit	Not expected to be a skin sensitizer.		
Local effects	Dust may cause skin and eye irritation. Inhalation of dusts may cause respiratory irritation.			
Chronic effects	Not expected to be hazardous by WHMIS criteria.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Reproductive effects	This product is not expected to cause reproductive or developmental effects.			
Symptoms and target organs	Exposure may cause temporary irritation, redness, or discomfort.			

12. Ecological Information

Ecotoxicological data Components		Species	Test Results
Potassium Chloride (CAS 74	47-40-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	83 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	435 mg/l, 96 hours
Sodium sulfate (CAS 7757-8 Aquatic	32-6)		
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	2807 - 3535 mg/l, 48 hours

YSI Oxygen Probe Electrolyte for Model 5204, 5906, 5908, & 5909919630Version #: 01Revision date: -Issue date: 20-March-2014

Components		Species	Test Results	
Fish	LC50	Striped bass (Morone saxatilis)	790 mg/l, 96 hours	
Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment.			
Environmental effects	An enviror	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.		
Persistence and degradability	Not availal	ble.		

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. Non-controlled

WHMIS status

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 0 Flammability: 0 Instability: 0

The information in the sheet was written based on the best knowledge and experience currently available.